

Town of Newton

Progress Report

July 2015

| Date | Activity |
|-------------|--|
| 7-01 | Set out light trap at 25 Willow Dr |
| 7-01 | Set out light trap at 7 Packer Meadows |
| 7-01 | Set out light trap at 57 North Main St |
| 7-01 | Set out light trap at 102 North Main St |
| 7-02 | Picked up light trap at 25 Willow Dr |
| 7-02 | Picked up light trap at 7 Packer Meadows |
| 7-02 | Picked up light trap at 57 North Main St |
| 7-02 | Picked up light trap at 102 North Main St |
| 7-03 | Adult mosquitoes identified and processed |
| 7-08 | Adult mosquitoes from light traps sent to State Lab for disease testing |
| 7-10 | Survey right of Bartlett St, before RR tracks - swamp |
| 7-10 | Survey left of Bartlett St, after RR tracks - swamp |
| 7-10 | Survey across from 74 Amesbury Rd - swamp |
| 7-10 | Survey behind 52 Amesbury Rd - swamp |
| 7-10 | Survey Police Station, 2 Amesbury Rd - cattail marsh |
| 7-10 | Survey 67 Amesbury Rd - ornamental pond |
| 7-10 | Larvicide 67 Amesbury Rd - ornamental pond |
| 7-10 | Survey New Boston Rd, across from Keezer Ln - cedar swamp |
| 7-10 | Larvicide New Boston Rd, across from Keezer Ln - cedar swamp |
| 7-15 | Set out light trap at 25 Willow Dr |
| 7-15 | Set out light trap at 7 Packer Meadows |
| 7-15 | Set out light trap at 57 North Main St |
| 7-15 | Set out light trap at 102 North Main St |
| 7-15 | Survey behind 21 Walnut Farm Rd - pools |
| 7-15 | Survey left of 9 Walnut Farm Rd - woodland pool |
| 7-15 | Survey right of 34 Smith Corner Rd - woodland pools |
| 7-15 | Survey across from 59 Smith Corner Rd - woodland pools |
| 7-15 | Survey right of 57 Williamine Dr (Chase Cemetery) - woodland pools |
| 7-15 | Survey across from 30 Williamine Dr - swamp w/ pools |
| 7-15 | Survey behind & right of 60 Williamine Dr - woodland pools |
| 7-15 | Survey intersection of Smith Corner Rd & Bootland Farm Dr - swamp w/ root hole |
| 7-15 | Survey between 18 & 20 Kenwood Dr - drainage ditch & pools |
| 7-15 | Survey across from 19 Bootland Farm Rd - retention area & small swamp |
| 7-15 | Survey front of 64 Thornell Rd - pond & swamp |
| 7-15 | Survey left of 70 Smith Corner Rd - swamp & brook |
| 7-15 | Survey 76 Smith Corner Rd - pond & tires |
| 7-15 | Survey behind 4 & 6 Priscilla Ln - large swamp w/ crypts |
| 7-15 | Survey end of Walnut Farm Rd (off Peaslee Crossing) - woodland pools |
| 7-15 | Survey front of 3 Zoe Ln - retention pond & ditch |

Town of Newton

Progress Report

July 2015

| Date | Activity |
|-------------|--|
| 7-15 | Survey behind 48 & 50 Smith Corner Rd - woodland pools & swamp |
| 7-15 | Survey front of 12 Walnut Farm Rd - pools |
| 7-15 | Larvicide front of 12 Walnut Farm Rd - pools |
| 7-15 | Survey front of 35 Crane Crossing Rd - pond with cattails |
| 7-15 | Larvicide front of 35 Crane Crossing Rd - pond with cattails |
| 7-16 | Picked up light trap at 25 Willow Dr |
| 7-16 | Picked up light trap at 7 Packer Meadows |
| 7-16 | Picked up light trap at 57 North Main St |
| 7-16 | Picked up light trap at 102 North Main St |
| 7-16 | Adult mosquitoes identified and processed |
| 7-20 | Adult mosquitoes identified and processed |
| 7-21 | Adult mosquitoes identified and processed |
| 7-22 | Larvicide 4 Catch Basins |
| 7-22 | Set out light trap at 25 Willow Dr |
| 7-22 | Set out light trap at 7 Packer Meadows |
| 7-22 | Set out light trap at 57 North Main St |
| 7-22 | Set out light trap at 102 North Main St |
| 7-22 | Survey behind 57 No. Main St (Rte 108) - stream to swamp |
| 7-22 | Larvicide behind 57 No. Main St (Rte 108) - stream to swamp |
| 7-22 | Survey behind 61 Pond St to Whittier St - red maple swamp |
| 7-22 | Larvicide behind 61 Pond St to Whittier St - red maple swamp |
| 7-22 | Survey behind 61 Amesbury Rd - swamp |
| 7-22 | Larvicide behind 61 Amesbury Rd - swamp |
| 7-22 | Survey Police Station, 2 Amesbury Rd - cattail marsh |
| 7-22 | Survey behind 52 Amesbury Rd - swamp |
| 7-22 | Survey across from 74 Amesbury Rd - swamp |
| 7-22 | Survey intersection of Wentworth Dr & So. Main St (Rte 108) - swamp |
| 7-22 | Survey 159 So. Main St (Rte 108) - fire pond |
| 7-22 | Survey 163 So. Main St (Rte108) - duck pond |
| 7-22 | Survey left of 96 So. Main St (Rt 108) - woodland pools |
| 7-22 | Survey right of 111 So. Main St (Rte 108) - swamp & woodland pools |
| 7-22 | Survey intersection of Peaslee Crossing Rd & So. Main St (Rte 108) - swamp |
| 7-22 | Survey left of Bartlett St, after RR tracks - swamp |
| 7-22 | Survey right of Bartlett St, before RR tracks - swamp |
| 7-22 | Survey across from 20 Chase Rd - ponds & tire pile |
| 7-22 | Survey front of 68 & 70 Whittier St - stream backwater |
| 7-22 | Survey behind 54 Whittier St - woodland pool |
| 7-22 | Survey left of Bartlett St, before RR tracks - swamp |
| 7-22 | Survey New Boston Rd, across from Keezer Ln - cedar swamp |

Town of Newton

Progress Report

July 2015

| Date | Activity |
|-------------|--|
| 7-22 | Survey behind 102 No. Main St (Rte 108) - cedar swamp |
| 7-22 | Survey behind CBI & right of entrance, 22 Whittier St - swamp & swales |
| 7-22 | Survey behind 4 Katherine Dr - swamp |
| 7-22 | Survey intersection of Peaslee Crossing Rd & So. Main St (Rte 108) - pools |
| 7-22 | Survey intersection of Wentworth Dr & So. Main St (Rte 108) - stream & pools |
| 7-22 | Survey 6 Valley Dr - bog |
| 7-22 | Survey intersection of Overlook Rd & Valley Dr - ditch |
| 7-23 | Picked up light trap at 25 Willow Dr |
| 7-23 | Picked up light trap at 7 Packer Meadows |
| 7-23 | Picked up light trap at 57 North Main St |
| 7-23 | Picked up light trap at 102 North Main St |
| 7-23 | Adult mosquitoes from light traps sent to State Lab for disease testing |
| 7-27 | Survey between 11 & 13 Currierville Rd - woodland pools |
| 7-27 | Survey intersection of Brookside Dr & Dugway Rd - swale |
| 7-27 | Survey behind 5-7 Brookside Ln to Dugway Rd - swamp & stream |
| 7-27 | Survey left of 2 Ashley Dr - woodland pools |
| 7-27 | Survey Country Pond Campground, 106 Pond St - pools |
| 7-27 | Survey left of F&G Club, 82 Pond St - roadside ditch |
| 7-27 | Survey between 67 & 69 Pond St & left of 71 Pond St - roadside pools |
| 7-27 | Survey 6 Valley Dr - bog |
| 7-27 | Survey right of 9 Steep Hill Rd - woodland pools |
| 7-27 | Survey intersection of Overlook Rd & Valley Dr - ditch |
| 7-27 | Survey right of 11 Highland St - depression |
| 7-27 | Survey right of Marshall House Museum, 5 Wallace Rd - cattail swamp |
| 7-27 | Survey New Boston Rd, across from Keezer Ln - cedar swamp |
| 7-27 | Survey behind 102 No. Main St (Rte 108) - cedar swamp |
| 7-27 | Survey right of 1 Nordic Village - ditch & retention area |
| 7-27 | Survey behind & right of 10 Ashley Dr - pond |
| 7-27 | Survey behind 17 Durgin Dr - woodland pool |
| 7-27 | Survey behind 61 Pond St to Whittier St - red maple swamp |
| 7-27 | Survey 68 So. Main St (Rte 108) - fire pond |
| 7-27 | Survey behind The Learning Center, 31 So. Main St (Rte 108) - swamp |
| 7-27 | Survey intersection of Currierville Rd & Dugway Rd - pond & pools |
| 7-27 | Larvicide intersection of Currierville Rd & Dugway Rd - pond & pools |
| 7-27 | Survey right of 4 Brookside Ln - woodland pool |
| 7-27 | Larvicide right of 4 Brookside Ln - woodland pool |
| 7-27 | Survey end of Fox Hill Ln - pond |
| 7-27 | Larvicide end of Fox Hill Ln - pond |
| 7-27 | Survey behind 2 Shirley Ave - woodland pool |

Town of Newton

Progress Report

July 2015

| Date | Activity |
|------|--|
| 7-27 | Larvicide behind 2 Shirley Ave - woodland pool |
| 7-27 | Survey across from 20 Chase Rd - ponds & tire pile |
| 7-27 | Larvicide across from 20 Chase Rd - ponds & tire pile |
| 7-27 | Survey 9 Currierville Rd - woodland pools |
| 7-27 | Larvicide 9 Currierville Rd - woodland pools |
| 7-28 | Adult mosquitoes identified and processed |
| 7-29 | Set out light trap at 25 Willow Dr |
| 7-29 | Set out light trap at 7 Packer Meadows |
| 7-29 | Set out light trap at 57 North Main St |
| 7-29 | Set out light trap at 102 North Main St |
| 7-30 | Picked up light trap at 25 Willow Dr |
| 7-30 | Picked up light trap at 7 Packer Meadows |
| 7-30 | Picked up light trap at 57 North Main St |
| 7-30 | Picked up light trap at 102 North Main St |
| 7-30 | Survey intersection of Williamine Dr & 36 Smith Corner Rd - roadside ditch |
| 7-30 | Survey across from 59 Smith Corner Rd - woodland pools |
| 7-30 | Survey behind & left of 26 Quaker St - drainage easement & pools |
| 7-30 | Survey between 19 & 21 Quaker St - woodland pool |
| 7-30 | Survey 11-15 Quaker St - woodland pool |
| 7-30 | Survey behind 4 Whittier St - lawn depression |
| 7-30 | Survey behind CBI & right of entrance, 22 Whittier St - swamp & swales |
| 7-30 | Survey behind 54 Whittier St - woodland pool |
| 7-30 | Survey left of Bartlett St, after RR tracks - swamp |
| 7-30 | Survey right of Bartlett St, before RR tracks - swamp |
| 7-30 | Survey intersection of Smith Corner Rd & Kenwood Dr - swamp |
| 7-30 | Survey intersection of Smith Corner Rd & Bootland Farm Dr - swamp w/ root hole |
| 7-30 | Survey across from 44 Smith Corner Rd - fire pond |
| 7-30 | Survey right of 34 Smith Corner Rd - woodland pools |
| 7-30 | Survey behind 48 & 50 Smith Corner Rd - woodland pools & swamp |
| 7-30 | Survey left of 60 Smith Corner Rd - woodland pools & swamp |
| 7-30 | Survey left of 70 Smith Corner Rd - swamp & brook |
| 7-30 | Survey 76 Smith Corner Rd - pond & tires |
| 7-30 | Survey across from 20 Quaker St - woodland pool |
| 7-30 | Survey 23 Quaker St - ornamental fish pond |
| 7-30 | Survey behind 36 Whittier St - woodland pools |
| 7-30 | Survey right of 39 Thornell Rd - pond & wet meadow |
| 7-30 | Survey front of 64 Thornell Rd - pond & swamp |
| 7-30 | Survey intersection of Chonger Dr & Whittier St - swamp & pools |
| 7-30 | Survey behind 5-11 Chongor Dr - stream |

Town of Newton

Progress Report

July 2015

| Date | Activity |
|-------------|---|
| 7-30 | Survey right of 4 Brookside Ln - woodland pool |
| 7-30 | Survey left of Bartlett St, before RR tracks - swamp |
| 7-30 | Survey between 1 & 3 Katherine Dr - ditches w/ pools |
| 7-30 | Survey behind 4 Katherine Dr - swamp |
| 7-30 | Survey intersection of Whittier St & Pond St - woodland pool |
| 7-30 | Larvicide intersection of Whittier St & Pond St - woodland pool |
| 7-30 | Adult mosquitoes from light traps sent to State Lab for disease testing |

Total mosquito samples processed & sent to State Lab for testing: 43

Total mosquitoes processed for the month of July: 5201

The State Lab began disease testing in July: no positive results in Newton as of 7-31-2015

No mosquito samples have tested positive for West Nile Virus or EEE in the State of New Hampshire to date.

Town of Newton

Catch Basin Treatment

2015

| Street Name | # Catch Basins | Street Name | # Catch Basins |
|---|----------------|----------------------------------|-----------------------|
| Amesbury Rd | 0 | Puzzle Ln - Ravensburger | 0 |
| Audrey Ln | 2 | Puzzle Ln - Sarro Manufacturing | 3 |
| Bandcroft Rd | 0 | Quaker St | 7 |
| Bartlett St | 0 | Saraha's Way | 2 |
| Bear Hill Rd | 0 | Sleep Hill Dr | 0 |
| Brenner Dr | 2 | Smith Corner Rd | 0 |
| Brimstone Circle | 1 | South Main St | 9 |
| Brookside Dr | 1 | South Main St - Chris's Pizza | 3 |
| Captain Way | 1 | South Main St - Newton Fire Dept | 2 |
| Chase Rd | 2 | South Main St - Plaza | 3 |
| Chongor Rd | 3 | South Main St - Post Office | 0 |
| Country Pond Rd | 0 | Tanglewood Dr | 1 |
| Crane Crossing Rd | 4 | Tara Ln | 1 |
| Crane Crossing Rd - Memorial Elementary | 0 | Thornell Rd | 2 |
| Durgin Dr | 7 | Town Hall Dr | 0 |
| Georges Way | 1 | Valley Dr | 0 |
| Gould Hill Dr | 5 | Wallace St | 1 |
| Grebenstein St | 0 | Walnut Farm Rd | 0 |
| Grebenstein St - Merrimac Savings Bank | 0 | Webster Rd | 1 |
| Hayman Circle | 3 | Wenmarks Rd | 0 |
| Heath St | 0 | Wenmarks Rd - Campground | 3 |
| Highland St | 2 | Wentworth Dr | 1 |
| Howard Ln | 0 | West Main St | 3 |
| Jacobs Way | 5 | Whipowill Rd | 0 |
| Jeezer Ln | 0 | Whittier St | 3 |
| Kenwood Dr | 0 | Whittier St - CBI | 0 |
| Laura Ln | 1 | Williamine Dr | 0 |
| Maple Ave | 6 | | |
| Meadowview Dr | 6 | | |
| Merrimac Rd | 2 | Date | # Catch Basins |
| Merrimac Rd - Newton Police Dept | 4 | 6/26/2015 | 112 |
| New Boston Rd | 0 | 7/22/2015 | 4 |
| North Main St | 4 | | |
| Ocker Meadow Ln | 1 | | |
| Patriot Dr | 2 | Subtotal | 116 |
| Pearlee Crossing Rd | 1 | | |
| Pond St | 1 | | |
| Puzzle Ln | 0 | | |
| Puzzle Ln - Industrial Park | 4 | | |
| Puzzle Ln - Quintona Supply | 0 | | |